

Flexible Clay Cladding

A 3 mm bendable clay skin for walls that will not sit still. Twenty-four textures drawn from rammed earth, hewn stone and hand-woven cloth — each available in five earth colourways, for interiors and exteriors alike.



WHITE

BEIGE

JUTE

GREY

RED

CONTENTS

Twenty-four textures, five **earth colourways**

TEXTURES 1001 - 1012

1001	Slate White	05
1002	Granite Jute	07
1003	Coarse Rammed Earth Beige	08
1004	Strand Red	09
1005	Hemp Woven Jute	11
1006	Rangoli White	12
1007	Qiammo Stone White	14
1008	Cement Board White	16
1009	Sawing Board Beige	17
1010	Coarse Texture Grey	19
1011	Pebbles White	20
1012	Under Sea Travertine Jute	21

TEXTURES 1013 - 1024

1013	New Line Beige	23
1014	Tribal Red	24
1015	Wood Grey	26
1016	Tribal 2 White	27
1017	Small Travertine Beige	29
1018	Fine Rammed Earth Jute	30
1019	Ropes White	32
1020	Fossil White	34
1021	Silk Slate Grey	35
1022	Wave Board Beige	37
1023	Square Jute	38
1024	Step Stone Red	39

REFERENCE

– The material	03	– Full finish range	41
– Technical specification	04	– Enquiries	43

SHEET SIZES

600 × 1200 mm and 1200 × 2400 mm.
Textures 1020–1024 in 600 × 1200 mm only.

ORDERING

Quote the four-digit texture number and the colourway – for example **1014 Tribal Red / Jute**.

THE MATERIAL

Clay that **bends** around the building

Flexible clay cladding is a thin, mineral clay sheet reinforced on a glass-fibre mesh. It carries the depth, matt finish and cool touch of fired clay, but weighs a fraction of tile and will wrap a column, a curve or a soffit without a cut line.

3 mm thin, A2 rated

Roughly 4 kg/m² against 25 kg for stone, so it goes over existing plaster, board, ply or masonry with adhesive alone — no sub-frame, no dead load.

Bends to a 20 mm radius

Warmed gently, the sheet takes a curve and holds it. Columns, arches, reveals and rounded corners are finished in one continuous piece.

Inside and out

UV-stable, frost-resistant and breathable. The same texture runs from a façade to the lobby wall behind it without a change of material.



TECHNICAL

Specification

PANEL

MATERIAL

Mineral clay on glass-fibre mesh

THICKNESS

3 mm (±0.3)

WEIGHT

approx. 4 kg/m²

SHEET SIZES

600 × 1200 mm · 1200 × 2400 mm

FINISH

Natural matt

COLOURWAYS

White · Beige · Jute · Grey · Red

TEXTURES

24

PERFORMANCE & INSTALLATION

BEND RADIUS

20 mm minimum, warmed

FIRE

Class A2 – non-combustible

EXPOSURE

Interior and exterior; UV and frost stable

SUBSTRATES

Plaster, cement board, ply, MDF, masonry, metal

CUTTING

Utility knife, shears or tile blade

FIXING

Notched-trowel polymer adhesive

JOINTING

Butt joint or 2–3 mm grouted

COLOURWAYS – EVERY TEXTURE, FIVE GROUNDS



WHITE



BEIGE



JUTE



GREY



RED

Clay is a natural material. Shade, veining and surface relief vary between production batches; order the full quantity for a single elevation together and dry-lay before fixing. Samples are cut from current stock.

1001

Slate White




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE


Class A2



SIGNORIN
— CLADDING & SKRIPS —

1002

Granite Jute




SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE BEIGE JUTE GREY RED

SHEET SIZES



600 × 1200 1200 × 2400

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2

1003

Coarse Rammed Earth Beige




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION


Interior & exterior

FIRE

Class A2

1004

Strand Red



SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE



BEIGE



JUTE




GREY




RED

SHEET SIZES



600 × 1200



1200 × 2400

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2





TEXTURE 1004

Retail Frontage

1005

Hemp Woven Jute



SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE


BEIGE

JUTE

GREY

RED

SHEET SIZES



600 × 1200

1200 × 2400

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION


Interior & exterior

FIRE

Class A2

1006

Rangoli White




SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE BEIGE JUTE GREY RED

SHEET SIZES



600 × 1200 1200 × 2400

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2



1007

Qiammo Stone White




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2



TEXTURE 1007

Atrium Lounge

1008

Cement Board White




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2

1009

Sawing Board Beige




SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE BEIGE JUTE GREY RED

SHEET SIZES



600 × 1200 1200 × 2400

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE



Class A2

TEXTURE 1009

Office Elevation

1010

Coarse Texture Grey




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION


Interior & exterior

FIRE

Class A2

1011

Pebbles White




SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE BEIGE JUTE GREY RED

SHEET SIZES



600 × 1200 1200 × 2400

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2

1012

Under Sea Travertine Jute




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS
3 mm

WEIGHT
approx. 4 kg/m²

FINISH
Natural matt

APPLICATION
Interior & exterior

FIRE
Class A2




TEXTURE 1012

Entrance Portal

1013

New Line Beige



SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE



BEIGE



JUTE




GREY




RED

SHEET SIZES



600 × 1200



1200 × 2400

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION


Interior & exterior

FIRE

Class A2

1014

Tribal Red




SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE BEIGE JUTE GREY RED

SHEET SIZES



600 × 1200 1200 × 2400

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2




TEXTURE 1014

Living Room Feature Wall

1015

Wood Grey




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2

1016

Tribal 2 White




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2



01

• restaurant
• terrace

TEXTURE 1016

Restaurant Terrace

1017

Small Travertine Beige




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS
3 mm

WEIGHT
approx. 4 kg/m²

FINISH
Natural matt

APPLICATION
Interior & exterior

FIRE
Class A2

1018

Fine Rammed Earth Jute




SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2



TEXTURE 1018

Residential Façade

1019

Ropes White




SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE BEIGE JUTE GREY RED

SHEET SIZES



600 × 1200 1200 × 2400

THICKNESS
3 mm

WEIGHT
approx. 4 kg/m²

FINISH
Natural matt

APPLICATION
Interior & exterior

FIRE
Class A2



TEXTURE 1019

Garden Dining

1020

Fossil White



SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE BEIGE JUTE GREY RED

SHEET SIZES



600 × 1200

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2

1021

Silk Slate Grey



SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



600 × 1200

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2



TEXTURE 1021

Bathroom

1022

Wave Board Beige



SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



600 × 1200

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2

1023

Square Jute



SURFACE DETAIL

AVAILABLE COLOURWAYS



SHEET SIZES



600 × 1200

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION


Interior & exterior

FIRE

Class A2

1024

Step Stone Red



SURFACE DETAIL

AVAILABLE COLOURWAYS



WHITE



BEIGE



JUTE




GREY



RED

SHEET SIZES



600 × 1200

THICKNESS

3 mm

WEIGHT

approx. 4 kg/m²

FINISH

Natural matt

APPLICATION

Interior & exterior

FIRE

Class A2



TEXTURE 1024

Courtyard Lounge

FULL RANGE

Textures 1001 – 1012



1001
Slate White



1002
Granite Jute



1003
Coarse Rammed Earth Beige



1004
Strand Red



1005
Hemp Woven Jute



1006
Rangoli White



1007
Giammo Stone White



1008
Cement Board White



1009
Sawing Board Beige



1010
Coarse Texture Grey



1011
Pebbles White



1012
Under Sea Travertine Jute

FULL RANGE

Textures 1013 – 1024



1013
New Line Beige



1014
Tribal Red



1015
Wood Grey



1016
Tribal 2 White



1017
Small Travertine Beige



1018
Fine Rammed Earth Jute



1019
Ropes White



1020
Fossil White



1021
Silk Slate Grey



1022
Wave Board Beige



1023
Square Jute



1024
Step Stone Red

ENQUIRIES

Samples, take-offs and **site support**

SHOWROOM

1st Floor, 13C Paul Mansions, 6
Bishop Lefroy Road,
Near Rabindra Sadan, Kolkata 700
020

SPEAK TO US

+91 98300 20010
thinkwood.ashish@gmail.com

ONLINE

thinkwood.in
@thinkwood.in

BILLING ENTITY

Invoiced by Altius Realty Services, Kolkata