THINKWOOD
DECORATIVE WOODS



CATALOGUE · 2026 EDITION

Wall *Cladding*

SPC wall panels in marble, stone & pattern finishes

30 FINISHES | 3 COLLECTIONS | 3 MM SPC | 100% WATERPROOF

CONTENTS

Inside this *catalogue*

i	Introduction	The collection at a glance	03
ii	Technology	Panel build & performance	04
01	Origins	12 finishes · 2440 × 1220 mm	05
02	Signature	15 finishes · 2800 × 1220 mm	08
03	Promenade	Book-matched sets · 2800 × 1220 mm	12
iii	Applications	Where it works	16
iv	Technical Specifications	Data & care	18
v	Contact	Visit, call or write	19



INTRODUCTION

The look of stone. *None of the weight.*

Large-format SPC wall panels that bring marble, travertine and bold pattern to a wall in a fraction of the time and weight of natural stone.

Each panel is a rigid Stone Polymer Composite sheet, just 3 mm thick, with an ultra-HD printed design layer and a UV-cured top coat. The result is a surface that looks like slab stone, stays waterproof, and wipes clean.

Thinkwood supplies and installs the full range across Kolkata and eastern India, from selection and samples through to site execution.

30	3 mm	2.8 m	100%
FINISHES	PANEL THICKNESS	MAX PANEL HEIGHT	WATERPROOF



Stone Polymer *Composite*

At the core of every panel is SPC, engineered for stability, water resistance and day-to-day durability. Three bonded layers do the work.



1

Anti-fade UV coating

The top layer keeps the surface resistant to stains and protects the design from fading under UV exposure.

2

Design layer

A high-definition décor film with a realistic look and feel, rendered in marble, stone and pattern designs.

3

Rigid SPC core

Gives the panel its dimensional stability and form. It will not swell, warp or rot when exposed to moisture.

\+

Also: rigid core, 100% waterproof, precision edges and ultra-HD large panels.

01

Ultra HD

Up to 2800 × 1220 mm, fewer joints on the wall.

02

Waterproof

Suited to wet walls, washrooms and humid rooms.

03

Stain resistant

UV-cured coat resists everyday marks and stains.

04

Easy cleaning

A damp cloth is all it needs, no polishing.

05

Easy installation

Lightweight sheets install quickly with minimal mess.

06

Fire resistant

Stone-polymer core with fire-resistant properties.

07

Recyclable

SPC material can be recycled at end of life.

08

VOC free

No volatile organic compounds released indoors.

COLLECTION 01

01

Origins *collection*

Warm marbles, soft travertines and quiet whites, with a handful of statement patterns. The everyday workhorse of the range, sized to standard 8 × 4 ft sheets.

Weston · Riviera · Solace · Driftline · Zephyr · Regalia · Velora · Frostline · Royale · Hexora · Veltrix · Inoxa

PANEL SIZE	2440 × 1220 mm
THICKNESS	3 mm
CORE	Rigid SPC
FINISHES	12





WESTON 01

2440 × 1220 mm · 3 mm



RIVIERA 02

2440 × 1220 mm · 3 mm

SOLACE 03

2440 × 1220 mm · 3 mm

DRIFTLINE 04

2440 × 1220 mm · 3 mm



ZEPHYR 05

2440 × 1220 mm · 3 mm



REGALIA 06

2440 × 1220 mm · 3 mm



VELORA 07

2440 × 1220 mm · 3 mm




FROSTLINE 08

2440 × 1220 mm · 3 mm




ROYALE 09

2440 × 1220 mm · 3 mm




HEXORA 10

2440 × 1220 mm · 3 mm



VELTRIX 11

2440 × 1220 mm · 3 mm



INOXA 12

2440 × 1220 mm · 3 mm

COLLECTION 02

02

Signature *collection*

Deeper, dramatic stones and graphic patterns on taller 2.8 m panels, for full-height feature walls with fewer horizontal joints.

Stormwell · Marvella · Pureline · Sepia · Galaxy · Eclipse · Flint · Pebble · Lava · Arcline · Nova · Ripple · Pixel · Vertex · Sonata

PANEL SIZE	2800 × 1220 mm
THICKNESS	3 mm
CORE	Rigid SPC
FINISHES	15



Signature *collection*

2800 × 1220 MM · 3 MM · 1–6 OF 15



STORMWELL 01

2800 × 1220 mm · 3 mm



MARVELLA 02

2800 × 1220 mm · 3 mm


PURELINE 03

2800 × 1220 mm · 3 mm



SEPIA 04

2800 × 1220 mm · 3 mm



GALAXY 05

2800 × 1220 mm · 3 mm



ECLIPSE 06

2800 × 1220 mm · 3 mm



FLINT 07

2800 × 1220 mm · 3 mm



PEBBLE 08

2800 × 1220 mm · 3 mm



LAVA 09

2800 × 1220 mm · 3 mm




ARCLINE 10

2800 × 1220 mm · 3 mm




NOVA 11

2800 × 1220 mm · 3 mm




RIPPLE 12

2800 × 1220 mm · 3 mm



PIXEL 13

2800 × 1220 mm · 3 mm



VERTEX 14

2800 × 1220 mm · 3 mm



SONATA 15

2800 × 1220 mm · 3 mm

COLLECTION 03


03 Promenade *sets*

Continuous-vein sets printed across consecutive panels. Installed in sequence (A, B, C…), the veining flows edge to edge like a single slab of stone.

Harbor · Nimbus · Orion

PANEL SIZE	2800 × 1220 mm
THICKNESS	3 mm
CORE	Rigid SPC
FINISHES	3





Harbor

3-panel set · A B C
2800 × 1220 mm per panel
Thickness 3 mm


Blue-grey quartzite with rust-toned veining that runs across three consecutive panels. Made for staircase walls, lobbies and double-height feature walls.



Nimbus

3-panel set · A B C
2800 × 1220 mm per panel
Thickness 3 mm

Soft grey marble with gentle, cloud-like movement. A calm, continuous surface across three panels for living rooms and reception walls.



Orion

4-panel set · A B C D
2800 × 1220 mm per panel
Thickness 3 mm

Near-black marble with fine white veining across four panels. A dramatic backdrop for TV walls, bars and hospitality interiors.



APPLICATIONS

Made for *every wall*

i

Residential homes

Living rooms, bedrooms, TV walls, washrooms and staircases.

ii

Retail & commercial

Showrooms, store fronts, counters and display walls.

iii

Hospitality projects

Hotel lobbies, restaurants, bars and guest rooms.

iv

Offices & workspaces

Receptions, boardrooms, cabins and breakout areas.



When the wall looks like stone and fits like a panel, design stops being a compromise.

WESTON · ORIGINS COLLECTION · RECEPTION WALL

TECHNICAL SPECIFICATIONS

Panel *data*

PROPERTY	ORIGINS	SIGNATURE & PROMENADE
Material	Stone Polymer Composite (SPC) rigid core	
Panel size	2440 × 1220 mm	2800 × 1220 mm
Thickness	3 mm	3 mm
Construction	UV coating · HD design layer · rigid SPC core	
Finishes	12	15 + 3 book-matched sets
Water resistance	100% waterproof	
Surface	Anti-fade, stain resistant, wipe-clean	
Fire & emissions	Fire resistant · VOC free	
Sustainability	Recyclable	
Use	Interior walls: residential, retail, hospitality, office	

Installation

- Install on a dry, level, clean substrate
- Acclimatise panels on site before fixing
- Fix book-matched sets in A → D sequence
- Installation by Thinkwood's trained team

Care

- Wipe with a soft damp cloth
- Use mild, non-abrasive cleaners only
- Avoid solvents and scouring pads
- No polishing or sealing required

Images are indicative only. Colour and texture may vary between print runs; please refer to physical samples before ordering. Specifications may change without notice.

THINKWOOD
DECORATIVE WOODS

GET IN TOUCH

See the panels *in person.*

Visit our Kolkata studio to see full-size samples, or talk to us about supply and installation for your project.

CALL

+91 98300 20010

EMAIL

thinkwood.ashish@gmail.com

WEB

thinkwood.in

SOCIAL

Instagram · thinkwood.in
Facebook · thinkwoodofficial

STUDIO

1st Floor, 13C Paul Mansions, 6 Bishop Lefroy Road,
opp. Tata Tea, near Rabindra Sadan, Kolkata, West Bengal 700020

BRAND PARTNER

DORELL FLOORING

Supplied & installed by
Thinkwood Decorative Woods