

Stone Veneer

Real stone, split to 2–3 mm and backed on glass fibre — so it bends, cuts with a shear and goes up with adhesive alone. Fifty-nine faces across six series, plus seventeen 3D cement tiles.

GLITTER

MARBLE

SAND

SLATE

QUARTZITE

DECOR

ARTISTIC OBLIQUE

THE MATERIAL

A 2–3 mm layer of real stone

Stone veneer is quarried stone split to a hair's thickness and bonded to a glass-fibre backing. The face is 100 % natural stone — every sheet is unique — but it weighs about 2.2 kg/m², bends to an 8" radius and cuts with tin snips.

- Fixes to concrete, wood, ply, MDF, fibreglass, tile, metal and door skins
- Walls, fireplaces, ceilings, columns, furniture, doors and floors
- Interior and exterior; harder and stronger than slate tile thanks to a reinforcing resin
- Four sheet sizes, so a wall can be set out with very few joints

SIZE 1

300 × 600 mm

SIZE 2


600 × 600 mm

SIZE 3

2 × 4 feet

SIZE 4

4 × 8 feet



CONTENTS

Fifty-nine faces, six series

GLITTER SERIES

Golden Black Glitter	06
Glitter White	07
Pearl Green Glitter	08
Star Galaxy Glitter	09
Yellow Glitter	10

SAND SERIES

Teak Wood Sand	25
Rainbow Sand	26
Tokasna Sand	27
Mint Yellow Sand	28
Mint White Sand	29

MARBLE SERIES





Albeta White Marble	12
Atlantic Ivory Marble	13
Ice Green Marble	14
Caspar Marble	15
Statuaria White Marble	16
Toronto Marble	17
Carrara White Marble	18
Ita Gold Marble	19
Bidasar Green Marble	20
Wood Marble	21
Silvia Marble	22
Monsoon Black Marble	23

SLATE SERIES

Terra Red Slate	31
South Autumn Slate	32
Indian Autumn Slate	33
Ocean Black Slate	34
Kund Multi Slate	35
Kund Black Slate	36
Autumn Rustic Slate	37
Autumn Multi Slate	38
California Gold Slate	39

QUARTZITE SERIES

Zeera Green Quartzite	41
Silver Galaxy Quartzite	42
Forest Fire Quartzite	43
Deoli Copper Quartzite	44
Zeera Grey Quartzite	45
Silver Shine Quartzite	46
Silver Grey Quartzite	47
Ocean Green Quartzite	48
Deoli Golden Quartzite	49
Deoli Green Quartzite	50



CONTENTS, CONTINUED

Decor prints and 3D cement tiles

DECOR SERIES

01 Decor	52
02 Decor	53
03 Decor	54
04 Decor	55
05 Decor	56
06 Decor	57
07 Decor	58
08 Decor	59
09 Decor	60

DECOR SERIES

10 Decor	61
11 Decor	62
12 Decor	63
13 Decor	64
14 Decor	65
15 Decor	66
16 Decor	67
17 Decor	68
18 Decor	69

ARTISTIC OBLIQUE — HEXAGON &
RECTANGLE



Hexagon – Prism	71
Hexagon – Covcave	72
Hexagon – Hexa	73
Hexagon – Petal	74
Hexagon – Edgy	75
Rectangle – Brick	76
Rectangle – Wave	77
Rectangle – Curve	78
Rectangle – Emboss	79
Rectangle – Trapez	80
Rectangle – Classic	81

ARTISTIC OBLIQUE — SQUARE

Square – Ovate	82
Square – Tero	83
Square – Ralse	84
Square – Sculpture	85
Square – Squircle	86
Square – Rhombus	87

REFERENCE

Swatch chart	88
Technical information	91
Installation	92
Enquiries	93



Series 01

Glitter Series

Dark, mica-flecked stone that catches light from across a room. Best on a feature wall, a bar front or a lift lobby where the light moves.


5 FACES · PAGES 06-10



GLITTER SERIES

Golden Black
Glitter

Ref GL01



STONE FACE




IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

GLITTER SERIES

Glitter
White

Ref GL02



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

GLITTER SERIES

Pearl Green
Glitter

Ref GL03



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

GLITTER SERIES

Star Galaxy
Glitter

Ref GL04



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

GLITTER SERIES

Yellow
Glitter

Ref GL05



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

Series 02

Marble Series

The classic veined stones — Carrara, Statuario, Toronto, Ita Gold — in a 2-3 mm skin that a two-person crew can hang in an afternoon.

12 FACES · PAGES 12-23



MARBLE SERIES

Albeta White
Marble

Ref MB01



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²


MARBLE SERIES

Atlantic Ivory Marble

Ref MB02



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

MARBLE SERIES

Ice Green
Marble

Ref MB03



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

MARBLE SERIES

Caspar
Marble

Ref MB04



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

MARBLE SERIES

Statuaria White
Marble

Ref MB05



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

MARBLE SERIES

Toronto
Marble

Ref MB06



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

MARBLE SERIES

Carrara White Marble

Ref MB07



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

MARBLE SERIES

Ita Gold
Marble

Ref MB08



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

MARBLE SERIES

Bidasar Green
Marble

Ref MB09



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

MARBLE SERIES

Wood
Marble

Ref MB10



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

MARBLE SERIES

Silvia
Marble

Ref MB11



STONE FACE




IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

MARBLE SERIES

Monsoon Black
Marble

Ref MB12



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

Series 03

Sand Series

Warm sandstone in even, quiet tones. Reads as plaster from a distance and as stone up close. The most forgiving of the six series.

5 FACES · PAGES 25-29



SAND SERIES

Teak Wood
Sand

Ref SD01



STONE FACE




IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

SAND SERIES

Rainbow
Sand

Ref SD02



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

SAND SERIES

Tokasna
Sand

Ref SD03



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

SAND SERIES

Mint Yellow Sand

Ref SD04



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

SAND SERIES

Mint White Sand

Ref SD05



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

Series 04

Slate Series

Riven, layered and strongly figured. Rust, copper and charcoal run through the same sheet, so no two panels repeat.


9 FACES · PAGES 31-39



SLATE SERIES

Terra Red
Slate

Ref SL01



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²


SLATE SERIES

South Autumn Slate

Ref SL02



STONE FACE




IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

SLATE SERIES

Indian Autumn Slate

Ref SL03



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

SLATE SERIES

Ocean Black
Slate

Ref SL04



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

SLATE SERIES

Kund Multi
Slate

Ref SL05



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

SLATE SERIES

Kund Black
Slate

Ref SL06



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

SLATE SERIES

Autumn Rustic
Slate

Ref SL07



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

SLATE SERIES

Autumn Multi
Slate

Ref SL08



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

SLATE SERIES

California Gold
Slate

Ref SL09



STONE FACE



IN APPLICATION


SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

Series 05

Quartzite Series

Hard, crystalline stone with a metallic shimmer. The most weather-tolerant of the range and the usual choice for exteriors.

10 FACES · PAGES 41-50



QUARTZITE SERIES

Zeera Green
Quartzite

Ref QZ01



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

QUARTZITE SERIES

Silver Galaxy
Quartzite

Ref QZ02



STONE FACE




IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

QUARTZITE SERIES

Forest Fire Quartzite

Ref QZ03



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

QUARTZITE SERIES

Deoli Copper
Quartzite

Ref QZ04



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

QUARTZITE SERIES

Zeera Grey
Quartzite

Ref QZ05



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

QUARTZITE SERIES

Silver Shine
Quartzite

Ref QZ06



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

QUARTZITE SERIES

Silver Grey
Quartzite

Ref QZ07



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

QUARTZITE SERIES

Ocean Green Quartzite

Ref QZ08



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

QUARTZITE SERIES

Deoli Golden
Quartzite

Ref QZ09



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

QUARTZITE SERIES

Deoli Green
Quartzite

Ref QZ10



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT


ca. 2.20 kg/m²

Series 06

Decor Series

Printed decorative stone — florals, geometry, damask and mosaic patterns on a fine stone ground, for borders, headboard walls and highlight bands.


18 FACES · PAGES 52-69



DECOR SERIES

01
Decor

Ref DC01



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

DECOR SERIES

02
Decor

Ref DC02



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

03
Decor

Ref DC03



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

04
Decor

Ref DC04



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

DECOR SERIES

05
Decor

Ref DC05



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²


DECOR SERIES

06
Decor

Ref DC06



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

07
Decor

Ref DC07



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

DECOR SERIES

08
Decor

Ref DC08



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

09
Decor

Ref DC09



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m ²

DECOR SERIES

10
Decor

Ref DC10



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

11
Decor

Ref DC11



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

12
Decor

Ref DC12



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

13
Decor

Ref DC13



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

DECOR SERIES

14
Decor

Ref DC14



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

15
Decor

Ref DC15



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

DECOR SERIES

16
Decor

Ref DC16



STONE FACE



IN APPLICATION

SIZE

300 × 600 mm

SIZE

600 × 600 mm

SIZE

2 × 4 feet

SIZE

4 × 8 feet

THICKNESS

2–3 mm

WEIGHT

ca. 2.20 kg/m²

DECOR SERIES

17
Decor

Ref DC17



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

DECOR SERIES

18
Decor

Ref DC18



STONE FACE



IN APPLICATION

SIZE	SIZE	SIZE	SIZE	THICKNESS	WEIGHT
300 × 600 mm	600 × 600 mm	2 × 4 feet	4 × 8 feet	2–3 mm	ca. 2.20 kg/m²

3D Cement Tiles

Artistic Oblique

Cast cement tiles with a deep relief face — hexagon, rectangle and square — for feature walls that read as sculpture at a distance and as pattern up close. Supplied unpainted or in a chosen finish; laid on adhesive, never hammered.

17 PROFILES · PAGES 71–87




HEXAGON

Prism




3D Cement Tile

DIMENSION	146 x 168 mm
THICKNESS	10 mm on side / highest point 25 mm
WEIGHT / PC	0.650 gm
WEIGHT / SQFT	3.27 kgs
PCS PER SQFT	5.03 pcs
PCS PER BOX	16 pcs
BOX WEIGHT	10.650 kgs
SQFT PER BOX	3.168 sqft



PLAN



SECTION


HEXAGON

Covcave




3D Cement Tile

DIMENSION	146 x 168 mm
THICKNESS	9.5 mm on side / highest point 20 mm
WEIGHT / PC	0.575 gm
WEIGHT / SQFT	2.89 kgs
PCS PER SQFT	5.03 pcs
PCS PER BOX	18 pcs
BOX WEIGHT	10 kgs
SQFT PER BOX	3.56 sqft



PLAN



SECTION


HEXAGON

Hexa




3D Cement Tile

DIMENSION	145 x 165 mm
THICKNESS	10.5 mm on side / highest point 23.5 mm
WEIGHT / PC	0.700 gm
WEIGHT / SQFT	3.5 kgs
PCS PER SQFT	5.10 pcs
PCS PER BOX	16 pcs
BOX WEIGHT	11.950 kgs
SQFT PER BOX	3.14 sqft



PLAN



SECTION


HEXAGON

Petal




3D Cement Tile

DIMENSION	146 x 168 mm
THICKNESS	highest point 22 mm
WEIGHT / PC	0.790 gm
WEIGHT / SQFT	4 kgs
PCS PER SQFT	5.03 pcs
PCS PER BOX	16 pcs
BOX WEIGHT	12.5 kgs
SQFT PER BOX	3.56 sqft



PLAN



SECTION


HEXAGON

Edgy




3D Cement Tile

DIMENSION	146 x 168 mm
THICKNESS	10 mm on side / highest point 24.5 mm
WEIGHT / PC	0.650 gm
WEIGHT / SQFT	3.27 kgs
PCS PER SQFT	5.03 pcs
PCS PER BOX	16 pcs
BOX WEIGHT	10.400 kgs
SQFT PER BOX	3.168 sqft



PLAN



SECTION


RECTANGLE

Brick




3D Cement Tile

DIMENSION	71 x 144 mm
THICKNESS	14 mm on side / highest point 27 mm
WEIGHT / PC	0.450 gm
WEIGHT / SQFT	4.1 kgs
PCS PER SQFT	9.09 pcs
PCS PER BOX	32 pcs
BOX WEIGHT	14.700 kgs
SQFT PER BOX	3.52 sqft



PLAN



SECTION


RECTANGLE

Wave


3D Cement Tile



DIMENSION	73 x 220 mm
THICKNESS	10 mm on side / highest point 18 mm
WEIGHT / PC	0.490 gm
WEIGHT / SQFT	2.9 kgs
PCS PER SQFT	5.78 pcs
PCS PER BOX	32 pcs
BOX WEIGHT	15.5 kgs
SQFT PER BOX	5.53 sqft



PLAN



SECTION


RECTANGLE

Curve


3D Cement Tile



DIMENSION	73 x 221 mm
THICKNESS	9 mm on side / highest point 25 mm
WEIGHT / PC	0.570 gm
WEIGHT / SQFT	3.3 kgs
PCS PER SQFT	5.75 pcs
PCS PER BOX	24 pcs
BOX WEIGHT	13.5 kgs
SQFT PER BOX	4.17 sqft



PLAN



SECTION


RECTANGLE

Emboss




3D Cement Tile

DIMENSION	72 x 220 mm
THICKNESS	9 mm on side / highest point 24 mm
WEIGHT / PC	0.520 gm
WEIGHT / SQFT	3 kgs
PCS PER SQFT	5.88 pcs
PCS PER BOX	30 pcs
BOX WEIGHT	16 kgs
SQFT PER BOX	5.1 sqft



PLAN



SECTION


RECTANGLE

Trapez




3D Cement Tile

DIMENSION	73 x 220 mm
THICKNESS	9 mm on side / highest point 22 mm
WEIGHT / PC	0.530 gm
WEIGHT / SQFT	3 kgs
PCS PER SQFT	5.78 pcs
PCS PER BOX	32 pcs
BOX WEIGHT	17 kgs
SQFT PER BOX	5.53 sqft



PLAN



SECTION


RECTANGLE

Classic




3D Cement Tile

DIMENSION	72 x 220 mm
THICKNESS	5 mm on side / highest point 17 mm
WEIGHT / PC	0.550 gm
WEIGHT / SQFT	3.2 kgs
PCS PER SQFT	5.88 pcs
PCS PER BOX	32 pcs
BOX WEIGHT	17.5 kgs
SQFT PER BOX	5.44 sqft



PLAN



SECTION


SQUARE

Ovate




3D Cement Tile

DIMENSION	145 x 145 mm
THICKNESS	9.5 mm on side / highest point 28 mm
WEIGHT / PC	0.700 gm
WEIGHT / SQFT	3.3 kgs
PCS PER SQFT	4.42 pcs
PCS PER BOX	20 pcs
BOX WEIGHT	14 kgs
SQFT PER BOX	4.52 sqft



PLAN



SECTION


SQUARE

Tero




3D Cement Tile

DIMENSION	144 x 144 mm
THICKNESS	9.5 mm on side / highest point 25 mm
WEIGHT / PC	0.850 gm
WEIGHT / SQFT	2.9 kgs
PCS PER SQFT	4.48 pcs
PCS PER BOX	18 pcs
BOX WEIGHT	12 kgs
SQFT PER BOX	4 sqft



PLAN



SECTION


SQUARE

Ralse


3D Cement Tile



DIMENSION	145 x 145 mm
THICKNESS	9 mm on side / highest point 28 mm
WEIGHT / PC	0.800 gm
WEIGHT / SQFT	3.5 kgs
PCS PER SQFT	4.42 pcs
PCS PER BOX	18 pcs
BOX WEIGHT	14 kgs
SQFT PER BOX	4 sqft



PLAN



SECTION


SQUARE

Sculpture




3D Cement Tile

DIMENSION	145 x 145 mm
THICKNESS	9 mm on side / highest point 22 mm
WEIGHT / PC	0.680 gm
WEIGHT / SQFT	3 kgs
PCS PER SQFT	4.42 pcs
PCS PER BOX	18 pcs
BOX WEIGHT	12.5 kgs
SQFT PER BOX	4 sqft



PLAN



SECTION


SQUARE

Squircle




3D Cement Tile

DIMENSION	145 x 145 mm
THICKNESS	5.5 mm on side / highest point 23 mm
WEIGHT / PC	0.830 gm
WEIGHT / SQFT	3.6 kgs
PCS PER SQFT	4.42 pcs
PCS PER BOX	18 pcs
BOX WEIGHT	14.8 kgs
SQFT PER BOX	4 sqft



PLAN



SECTION


SQUARE

Rhombus


3D Cement Tile



DIMENSION	145 x 145 mm
THICKNESS	8 mm on side / highest point 26 mm
WEIGHT / PC	0.675 gm
WEIGHT / SQFT	3 kgs
PCS PER SQFT	4.42 pcs
PCS PER BOX	18 pcs
BOX WEIGHT	12.25 kgs
SQFT PER BOX	4 sqft



PLAN




SECTION

FULL RANGE

The swatch chart



Golden Black Glitter
GLITTER · GL01



Glitter White
GLITTER · GL02




Pearl Green Glitter
GLITTER · GL03



Star Galaxy Glitter
GLITTER · GL04



Yellow Glitter
GLITTER · GL05



Albeta White Marble
MARBLE · MB01



Atlantic Ivory Marble
MARBLE · MB02



Ice Green Marble
MARBLE · MB03



Caspar Marble
MARBLE · MB04




Statuaria White Marble
MARBLE · MB05



Toronto Marble
MARBLE · MB06



Carrara White Marble
MARBLE · MB07



Ita Gold Marble
MARBLE · MB08




Bidasar Green Marble
MARBLE · MB09




Wood Marble
MARBLE · MB10




Silvia Marble
MARBLE · MB11



Monsoon Black Marble
MARBLE · MB12




Teak Wood Sand
SAND · SD01



Rainbow Sand
SAND · SD02



Tokasna Sand
SAND · SD03




Mint Yellow Sand
SAND · SD04

FULL RANGE

The swatch **chart**, continued



Mint White Sand
SAND · SD05



Terra Red Slate
SLATE · SL01




South Autumn Slate
SLATE · SL02



Indian Autumn Slate
SLATE · SL03



Ocean Black Slate
SLATE · SL04



Kund Multi Slate
SLATE · SL05



Kund Black Slate
SLATE · SL06



Autumn Rustic Slate
SLATE · SL07



Autumn Multi Slate
SLATE · SL08




California Gold Slate
SLATE · SL09



Zeera Green Quartzite
QUARTZITE · QZ01



Silver Galaxy Quartzite
QUARTZITE · QZ02



Forest Fire Quartzite
QUARTZITE · QZ03



Deoli Copper Quartzite
QUARTZITE · QZ04



Zeera Grey Quartzite
QUARTZITE · QZ05



Silver Shine Quartzite
QUARTZITE · QZ06



Silver Grey Quartzite
QUARTZITE · QZ07



Ocean Green Quartzite
QUARTZITE · QZ08



Deoli Golden Quartzite
QUARTZITE · QZ09



Deoli Green Quartzite
QUARTZITE · QZ10



O1 Decor
DECOR · DC01

FULL RANGE

The swatch **chart**, continued



02 Decor
DECOR · DC02



03 Decor
DECOR · DC03



04 Decor
DECOR · DC04



05 Decor
DECOR · DC05



06 Decor
DECOR · DC06



07 Decor
DECOR · DC07



08 Decor
DECOR · DC08



09 Decor
DECOR · DC09



10 Decor
DECOR · DC10



11 Decor
DECOR · DC11



12 Decor
DECOR · DC12



13 Decor
DECOR · DC13



14 Decor
DECOR · DC14



15 Decor
DECOR · DC15



16 Decor
DECOR · DC16



17 Decor
DECOR · DC17



18 Decor
DECOR · DC18

TECHNICAL

Product information

SPECIFICATION

FACE	100 %% natural stone
THICKNESS	2–3 mm
WEIGHT	ca. 2.20 kg/m²
BACKING	Glass fibre
REINFORCEMENT	Resin — harder than slate tile
SHEET SIZES	300×600, 600×600 mm; 2×4, 4×8 ft
BEND RADIUS	8"

TECHNICAL PROPERTIES

FRONT	Real stone
FIRE BEHAVIOUR	Individual assessment
THERMAL EXPANSION	0.5–0.8 mm/m (~0.08 %%)
TEMPERATURE LIMITS	–58 / +203 °F
BACK	Glass fibre and others
ADHESIVE	Stone-veneer adhesive
FINISH	As quarried

WHERE IT CAN GO

Wall coverings, fireplaces and surrounds, bathrooms and wet areas, exteriors and interiors, cladding, furniture, doors, floor coverings, ceilings and kitchens.
CUTTING
Any tile cutting blade; hard-metal tipped circular saw or diamond stone saw; drill and rout with wood or stone tooling. Flexibility increases with gentle heat — a heat gun at about 400 °C.

As it is natural stone, design and colour vary from sheet to sheet. Order a full elevation together and dry-lay before fixing.

INSTALLATION

Quick, and **painless**



THE SHEET TAKES A CURVE UNDER GENTLE HEAT

SHEET VENEER

1 · PREPARE

The substrate must be dry, clean and sound. Any solid substrate will take it.

2 · ADHESIVE

Trowel stone-veneer adhesive onto the back of the sheet with the correct notch.

3 · MOUNT

Start from the centre of the sheet and work out. Once the adhesive has cured, finish the edges with grout if required.

4 · CUT AND BEND

Straight lines and curves cut best with long-nosed tin snips, a metal shear, a wet saw or a table saw with a carbide blade. The sheet bends to an 8" radius.

3D CEMENT TILES

Never hammer the tile. Set out from the centre of the wall, check the surface for damp, and clean each tile immediately after laying to avoid cement staining.

ENQUIRIES

Samples, take-offs and **site support**

SHOWROOM

1st Floor, 13C Paul Mansions,
6 Bishop Lefroy Road, Near Rabindra
Sadan,
Kolkata 700 020

SPEAK TO US

+91 98300 20010
thinkwood.ashish@gmail.com

ONLINE

thinkwood.in
@thinkwood.in

BILLING ENTITY

Invoiced by Altius Realty Services, Kolkata

THINKWOOD
DECORATIVE WOODS